

RECEIVED

JUN 8 2003

TECH CENTER 1600/2900

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 2001

APPLICANT Kranz et al.

GROUP 1646



## U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
RE 1	RE 35,500	05/06/97	Rhodes	424	1.49	
	3,817,837	06/18/74	Rubenstein et al.	195	103.5	
	3,850,752	11/26/74	Schuurs et al.	195	103.5	
	3,927,193	12/16/75	Hansen et al.	424	1	
	3,939,350	02/17/76	Kronick et al.	250	365	
	3,996,345	12/07/76	Ullman et al.	424	12	
	4,275,149	06/23/81	Litman et al.	435	7	
	4,277,437	07/07/81	Maggio	422	61	
	4,331,647	05/25/82	Goldenberg	424	1	
	4,348,376	09/07/82	Goldenberg	424	1	
	4,361,544	11/30/82	Goldenberg	424	1	
	4,366,241	12/28/82	Tom et al.	435	7	
	<del>4,444,744</del>	<del>04/24/84</del>	<del>Goldenberg</del>	<del>424</del>	<del>1.1</del>	
	4,468,457	08/28/84	Goldenberg et al.	435	69	
	4,640,561	02/03/87	George	339	17	
	4,713,332	12/15/87	Mak	435	70	
	4,831,122	05/16/89	Buchsbaum et al.	530	389	
	4,873,190	10/10/89	Saito et al.	435	172.3	
	4,874,845	10/17/89	Saito et al.	530	395	
	4,923,799	05/08/90	Mak	435	6	
	4,946,778	08/07/90	Ladner et al.	435	69.6	
	4,970,296	11/13/90	Saito et al.	530	323	
	5,013,650	05/07/91	Carty	435	69.1	
	<del>5,024,940</del>	<del>06/18/91</del>	<del>Brenner et al.</del>	<del>435</del>	<del>69.1</del>	
JE	5,059,413	10/22/91	Reardan et al.	424	4.1	

Form PTO-1449

ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001


APPLICANT Kranz et al.

GROUP 1646

RECEIVED



JUN 03 2003

TECH CENTER 1600/2900





JL	5,101,827	04/07/92	Goldenberg	128	653.4	
	5,185,250	02/09/93	Brenner et al.	435	69.3	
	5,223,409	06/29/93	Ladner et al.	435	69.7	
	5,225,539	07/06/93	Winter	530	387.3	
	5,258,289	11/02/93	Davis	435	69.6	
	5,258,498	11/02/93	Huston et al.	530	350	
	5,260,203	11/09/93	Ladner et al.	435	172.3	
	5,299,253	03/29/94	Wessels	378	163	
	5,316,922	05/31/94	Brown	435	69.7	
	5,316,925	05/31/94	Davis et al.	435	91.2	
	5,340,921	08/23/94	Brenner et al.	530	350	
	5,348,867	09/20/94	Georgiou et al.	435	69.7	
	5,403,484	04/04/95	Ladner et al.	435	235.1	
✓	5,411,873	05/02/95	Adams	435	69.1	
	5,427,908	06/27/95	Dower	435	69.1	
JL	5,482,858	01/09/96	Huston et al.	435	252.33	
	5,510,240	04/23/96	Lam	435	7.1	
	5,571,698	11/05/96	Ladner	435	69.7	
	5,580,717	01/20/95	Dower	530	395	
	5,601,822	02/11/97	Brenner et al.	424	144.1	
	5,614,192	03/25/97	Vandenbark	424	185.1	
	5,624,817	04/29/97	Miller et al.	435	69.1	
	5,723,286	03/03/98	Dower et al.	435	5	
	5,723,309	03/03/98	Bonneville	435	69.1	
✓	5,723,323	03/03/98	Kauffman et al.	435	172.3	
	5,733,743	03/31/98	Johnson et al.	435	69.1	
JL	5,763,192	06/09/98	Kauffman et al.	435	7.1	
JL	5,763,733	06/09/98	Whitlow et al.	530	387.3	

Form PTO-1449						
ATTY DOCKET NO. 103-00		SERIAL NO. 10/015,536		FILING DATE December 10, 2001		
APPLICANT Kranz et al.				GROUP 1646		
	5,767,260	06/16/98	Whitlow et al.	536	23.4	
	5,780,225	07/14/98	Wigler et al.	435	6	
	5,789,208	08/04/98	Sharon	435	91.41	
Box 2	5,814,476	09/29/98	Kauffman et al.	435	69.1	
	5,817,483	10/06/98	Kauffman et al.	435	69.1	
	5,824,483	10/20/98	Houston, Jr., et al.	435	7.1	
	5,824,514	10/20/98	Kauffman et al.	435	91.1	
	5,837,477	11/17/98	Germain et al.	435	7.24	
	5,837,500	11/17/98	Ladner et al.	435	69.7	
	5,840,304	11/24/98	Davis et al.	424	192.1	
	5,858,657	01/12/99	Winter et al.	435	6	
	5,861,156	01/19/99	George et al.	426	135.1	
	5,866,344	02/02/99	Georgiou	435	7.21	
U	5,869,620	02/09/99	Whitlow et al.	530	387.3	
	5,871,907	02/16/99	Winter et al.	435	6	
DE	5,871,974	02/16/99	Huse	435	69.7	
	5,882,945	03/16/99	Saito et al.	436	547	
	5,900,476	05/04/99	Ruggeri et al.	530	380	
	5,948,409	09/07/99	Germain et al.	424	193.1	
	5,969,108	10/19/99	McCafferty et al.	530	387.3	
	5,977,321	11/02/99	Saito et al.	530	388.75	
	5,989,808	11/12/99	Young et al.	435	6	
	6,027,910	02/22/00	Klis et al.	435	41	
	6,017,732	01/25/00	Jespers et al.	435	69.6	
2	6,114,147	09/05/00	Frenken et al.	435	69.7	
	6,300,065 B1	10/9/01	Kieke et al.	435	6	



Form PTO-1449		
ATTY DOCKET NO. 103-00	SERIAL NO. 10/015,536	FILING DATE December 10, 2001
APPLICANT Kranz et al.		GROUP 1646





## FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No
JE		WO94/18330	08.18.94	PCT	C12N	15/62	
		WO94/01567	20.01.94	PCT	C12N	15/62	
		WO98/49286	05.11.98	PCT	C12N	15/40	
		WO99/36569	22.07.99	PCT	C12Q	1/02	
		WO99/21572	06.05.99	PCT	A61K	38/00	
Box 3	/	WO99/58693	18.11.99	PCT	C12N	15/62	No
	/	WO01/48145	05.07.01	PCT	C12N		
	/	WO02/46399	13.06.02	PCT	C12N	15/10	
		0 436 597 B1	02.04.97	EP	C12N	15/00	

## OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

JE		Alam, SM et al. (Feb.1999), "Qualitative and Quantitative Differences in T-cell-Receptor Binding of Agonist and Antagonist Ligands;" <i>Immunity</i> 10:227-237.
		Alam, SM et al. (1996), "T-cell-Receptor Affinity and Thymocyte Positive Selection;" <i>Nature</i> 381:616-620.
		Alberti, S (1996), "A High Affinity T-Cell Receptor?;" <i>Immunol. Cell Biol.</i> 74:292-297.
		Al-Ramadi, BK et al. (1995), "Lack of Strict Correlation of Functional Sensitation with the Apparent Affinity of MHC/Peptide Complexes for the TCR;" <i>J. Immunol.</i> 155:662-673.
		Altschul, SF et al. (1997), "Gapped BLAST and PSI-BLAST: a New Generation of Protein Database Search Programs;" <i>Nucleic Acids Research</i> 25(17):2278-3402.
		Beeson, C et al. (1996), "Early Biochemical Signals Arise from Low Affinity TCR-Ligand Reactions at the Cell-Cell Interface;" <i>J. Exp. Med.</i> 184:777-782

Form PTO-1449		
ATTY DOCKET NO. 103-00	SERIAL NO. 10/015,536	FILING DATE December 10, 2001
APPLICANT Kranz et al.		GROUP 1646



		Bellio, M et al. (1994), "The V $\beta$ Complementarity Determining Region 1 of a Major Histocompatibility Complex (MHC) Class 1-Restricted T-Cell Receptor is Involved in the Recognition of Peptide/MHC I and Superantigen/MHC Complex;" <i>J. Exp. Med.</i> 179:1087-1089.
JZ		Bentley, GA et al. (1996), "The Structure of the T-Cell Antigen Receptor;" <i>Annu. Rev. Immunol.</i> 14:563-590.
		Bevan, MJ (1997), "In Thymic Selection, Peptide Diversity Gives and Takes Away;" <i>Immunity</i> 7:175-178.
		Bird, RE et al. (1988), "Single-Chain Antigen-binding Proteins;" <i>Science</i> 242:423-426.
		Bjorkman, PJ (1997), "MHC Restriction in Three Dimensions: A View of T-Cell Receptor/Ligand Interactions;" <i>Cell</i> 89:167-170.
		Boder, ET et al. (2000), "Yeast Surface Display for Directed Evolution of Protein Expression, Affinity, and Stability;" <i>Methods Enzymol</i> 328:430-444.
		Boder, ET et al. (Sept. 2000), "Directed Evolution of Antibody Fragments with Monovalent Femtomolar Antigen-Binding Affinity;" <i>Proc. Natl. Acad. Sci. USA</i> 97(20):10701-10705.
		Boder, ET et al. (1998), "Optimal Screening of Surface-Displayed Polypeptide Libraries;" <i>Biotech. Progress</i> 14(1):55-62.
		Boder, ET et al. (1997), "Yeast Surface Display for Screening Combinatorial Polypeptide Libraries;" <i>Nature Biotech.</i> 15(6):553-557.
JZ		Boder, ET et al. (1995), "A Yeast Surface Display System for <i>In Vitro</i> Affinity Maturation of Antibodies," Protein Interactions, June 1-4, 1995, Beckman Institute, University of Illinois, Urbana, (Abstract Only).
		Boniface, JJ et al. (Sept. 1999), "Thermodynamics of T-Cell Receptor Binding to Peptide-MHC: Evidence for a General Mechanism of Molecular Scanning;" <i>Proc. Natl. Acad. Sci. USA</i> 96:11446-11451.
		Brodnicki, TC (1996), "Reactivity and Epitope Mapping of Single-Chain T-Cell Receptors with Monoclonal Antibodies;" <i>Mol. Immunol.</i> In Press.
		Buchwalder, A et al. (1994), "Immunochemical and Molecular Analysis of Antigen Binding to Lipid Anchored and Soluble Forms of an MHC Independent Human / T-Cell Receptor;" <i>Mol. Immunol.</i> 31(11):857-872.
		Buckholz, RG et al. (1991), "Yeast Systems for the Commercial Production of Heterologous Proteins;" <i>Bio/Technol.</i> 9:1067-1072.



Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



JZ		Burrows, GC et al (1998), "Two-Domain MHC Class II molecules Form Stable Complexes with Myelin Basic Protein 69-89 Peptide That Detect and Inhibit Rat Encephalitogenic T Cells and Treat Experimental Autoimmune Encephalomyelitis;" <i>J. Immunol</i> 161:5987-5996.
↓		Callan, MF et al. (1995), "Selection of T-Cell Receptor Variable Gene-Encoded Amino Acids on the Third Binding Site Loop: a Factor Influencing Variable Chain Selection in a T-Cell Response;" <i>Eur. J. Immunol.</i> 25:1529-1534.
↓		Cho, BK et al. (1988), "A Yeast Surface Display System for the Discovery of Ligands that Trigger Cell Activation;" <i>J. Immunol Methods</i> (Netherlands) 220:179-188.
↓		Cho, BK et al. (1995), "Characterization of a Single-Chain Antibody to the $\beta$ -Chain of the T-Cell Receptor;" <i>J. Biol. Chem.</i> 270:25819-25826.
↓		Choi, Y et al. (1990), "Residues of the Variable Region of the T-Cell Receptor Chain that Interact with S. Aureus Toxin Superantigens;" <i>Nature</i> 346:471-473.
↓		Chung, S et al. (1994), "Functional Three-Domain Single-Chain T-Cell Receptors;" <i>Proc. Natl. Acad. Sci. USA</i> 91:12654-12658.
↓		Clackson, T et al. (1991), "Making Antibody Fragments Using Phage Display Libraries;" <i>Nature</i> 352:624-628.
↓		Cochran, JR et al. (Sept. 2000), "A diverse set of oligomeric class II MHC-peptide complexes for probing T-cell receptor interactions;" <i>Chem. Biol.</i> 7(9):683-696.
↓		Corr, M et al. (1994), "T-Cell Receptor-MHC Class I Peptide Interactions: Affinity, Kinetics, and Specificity;" <i>Science</i> 265:946-949.
↓		Cregg, JM et al. (1993), "Recent Advances in the Expression of Foreign Genes in <i>Pichia Pastoris</i> ;" <i>Bio/Technol.</i> 11:905-910.
↓		Dal Porto, J et al. (1993), "A Soluble Divalent Class I Major Histocompatibility Complex Molecule Inhibits Alloreactive T-Cells at Nanomolar Concentrations;" <i>Proc. Natl. Acad. Sci. USA</i> 90:6671-6675.
↓		Daly, K et al. (1995), "Contributions of the TCR-Chain to the Differential Recognition of Bacterial and Retroviral Superantigens;" <i>J. Immunol.</i> 155:27-34.
↓		Davis, MM et al. (1988), "T-Cell Antigen Receptor Genes and T-Cell Recognition;" <i>Nature</i> 334:395-402.
↓		Davis et al. (1998), "Ligand Recognition by T-Cell Receptors;" <i>Annu. Rev. Immunol.</i> 16:523-544

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 20, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

TECH CENTER 1600/2800

		Davis, MM et al. (1993), "Topology and Affinity of T-Cell Receptor Mediated Recognition of Peptide-MHC Complexes," <i>Curr. Opin. Immunol.</i> 5:45-49.
		de Kruif, J et al. (1996), "Leucine Zipper Dimerized Bivalent and Bispecific scFv Antibodies from a Semi-Synthetic Antibody Phage Display Library," <i>Amer. Soc. Biochem. Mol. Biol.</i> 271(13):7630-7634.
		Deng, SJ et al. (1995), "Basis for Selection of Improved Carbohydrate-Binding Single-Chain Antibodies from Synthetic Gene Libraries," <i>Proc. Natl. Acad. Sci. USA</i> 92:4992-4996.
		Eisen, HN et al. (1996), "Antigen-Specific T-Cell Receptors And Their Reactions With Complexes Formed By Peptides With Major Histocompatibility Complex Proteins" <i>Adv. Protein Chem.</i> 49:1-56.
		Engel, I et al. (1988), "Site-Directed Mutations in the VDJ Junctional Region of a T-Cell Receptor Chain Cause Changes in Antigenic Peptide Recognition," <i>Cell</i> 54:473-484.
		Engel, I et al. (1992), "High-Efficiency Expression and Solubilization of Functional T-Cell Antigen Receptor Heterodimers," <i>Science</i> 256:1318-1321.
		Faber, KN et al. (1995), "Review: Methylophilic Yeasts as Factories for the Production of Foreign Proteins," <i>Yeast</i> 11:1331-1344.
		Fong, L et al. (July 2001), "Altered Peptide Ligand Vaccination with Flt3 Ligand Expanded Dendritic Cells for Tumor Immunotherapy," <i>Proc. Natl. Acad. Sci. USA</i> 98(15):8809-8814.
		Foote, J et al. (Sept. 2000) "Breaking the Affinity Ceiling for Antibodies and T-Cell Receptors," <i>Proc. Natl. Acad. Sci. USA</i> 97(20):10679-10681.
		Fremont, D et al. (1996), "Biophysical Studies of T-Cell Receptors and Their Ligands," <i>Curr. Opin. Immunol.</i> 8:93-100.
		Furukawa, K et al. (Sept. 1999), "Junctional Amino Acids Determine the Maturation Pathway of an Antibody," <i>Immunity</i> 11:329-338.
		Ganju, RK et al. (1992), "Similarity Between Fluorescein-Specific T-Cell Receptor and Antibody in Chemical Details of Antigen Recognition," <i>Proc. Natl. Acad. Sci. USA</i> 89:11552-11556.
		Garcia, KC et al. (1996) "An $\alpha\beta$ T-Cell Receptor Structure at 2.5 Å and Its Orientation in the TCR-MHC Complex," <i>Science</i> 274:209-219.
		Garcia, KC et al. (1996), "CD8 Enhances Formation of Stable T-Cell Receptor/MHC Class I Molecule Complexes," <i>Nature</i> 384:577-581.
		Garcia, KC et al. (1997), " $\alpha\beta$ T-Cell Receptor Interactions with Syngeneic and Allogeneic Ligands: Affinity Measurements and Crystallization," <i>Proc. Natl. Acad. Sci. USA</i> 94:13838-13843.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2003

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 03 2003

TECH CENTER 1600/2900

		Garcia, KC et al. (1998), "Structural Basis of Plasticity in T-Cell Receptor Recognition of a Self Peptide-MHC Antigen;" <i>Science</i> 279:1166-1172.
		Gascoigne, NR et al. (1987), "Secretion of a Chimeric T-Cell Receptor-ImmunoGlobulin Protein;" <i>Proc. Natl. Acad. Sci. USA</i> 84:2936-2940.
		Gascoigne, N.R.J. et al. (1991), "Direct Binding of Secreted T-Cell Receptor Chain to Superantigen Associated with Class II Major Histocompatibility Complex Protein;" <i>Proc. Natl. Acad. Sci. USA</i> 88:613-616.
		Gellissen, G et al. (1992), "Progress in Developing Methylophilic Yeasts as Expression Systems;" <i>TIBTECH</i> 10:413-417.
		Gietz, RD et al. (1995), "Studies on the Transformation of Intact Yeast Cells by the LiAc/SS-DNA/PEG Procedure;" <i>Yeast</i> 11:355-360.
		Griffin, MD et al. (Feb. 2001), "Development and Applications of Surface-Lined Single Chain Antibodies Against T-Cell Antigens;" <i>J. Immunol. Methods</i> 248:77-90.
		Hare, BJ et al. (1999), "Structure, Specificity and CDR Mobility of a Class II Restricted Single-Chain T-Cell Receptor;" <i>Nat. Struct. Biol.</i> 6:574-581.
		Haskins, K (1984), "The Antigen-Specific Major Histocompatibility Complex-Restricted Receptor on T-Cells VI. An Antibody to a Receptor Allotype;" <i>J. Exp. Med.</i> 160:452-471.
		Hawkins, RE et al. (1992), "Selection of Phage Antibodies by Binding Affinity Mimicking Affinity Maturation;" <i>J. Mol. Biol.</i> 226:889-896.
		Hawkins, RE et al. (1993), "The Contribution of Contact and Non-Contact Residues of Antibody in the Affinity of Binding to Antigen;" <i>J. Mol. Biol.</i> 234:958-964.
		Herrman, T et al. (1991) "T-Cell Recognition of Superantigens;" <i>Current Topics Micro. Immunol.</i> 174:22-51.
		Hilyard, KL et al. (1994), "Binding of Soluble Natural Ligands to a Soluble Human T-Cell Receptor Fragment Produced in Escherichia Coli;" <i>Proc. Natl. Acad. Sci. USA</i> 91:9057-9061.
		Holler, PD et al. (May 2000), "In Vitro Evolution of a T-Cell Receptor with High Affinity for Peptide/MHC;" <i>Proc. Natl. Acad. Sci. USA</i> 97(10):5387-5392.
		Holler, PD, et al. (Oct. 2001), "CD8- T-Cell Transfectants that Express a High Affinity T-Cell Receptor Exhibit Enhanced Peptide-Dependent Activation;" <i>J. Exp. Med.</i> 194:1043-1052.



Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 0 2 2003  
TECH CENTER 1600/2380

DE		Hoogenboom, HR, (1997), "Designing and Optimizing Library Selection Strategies for Generating High-Affinity Antibodies;" <i>Trends Biotechnol.</i> 15:62-70.
		Huse, WD et al. (1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda;" <i>Science</i> 246:1275-1281.
		Jorgensen, JL et al. (1992), "Mapping T-Cell Receptor-Peptide Contacts by Variant Peptide Immunization of Single-Chain Transgenics;" <i>Nature</i> 355:224-230.
		Jung, S et al. (1997), "Improving <i>in vivo</i> Folding and Stability of a Single-Chain Fv Antibody Fragment by Loop Grafting;" <i>Protein Eng.</i> 10(8):959-966.
		Kang, X et al. (1997), "Induction of Melanoma Reactive T Cells by Stimulator Cells Expressing Melanoma Epitope-Major Histocompatibility Complex Class I Fusion Proteins;" <i>Cancer Res.</i> 57:202-205.
		Kappler, J et al. (1994), "Binding of a Soluble a T-Cell Receptor to Superantigen/Major Histocompatibility Complex Ligands;" <i>Proc. Natl. Acad. Sci. USA</i> 91:8462-8466.
		Kasibhatla, S et al. (1993), "Simultaneous Involvement of all Six Predicted Antigen Binding Loops of the T-Cell Receptor in Recognition of the MhC/Antigenic Peptide Complex;" <i>J. Immunol.</i> 151:3140-3151.
JE		Katayama, CD et al. (1995), "Predicted Complementarity Determining Regions of the T-Cell Antigen Receptor Determine Antigen Specificity;" <i>EMBO Journal</i> 14:927-938.
		Kieke, MC et al. (Apr. 2001), "High Affinity T-Cell Receptors from Yeast Display Libraries Block T-Cell Activation by Superantigens;" <i>J. Mol. Biol.</i> 307:1305-1315.
		Kieke, MC et al. (May 1999), "Selection of Functional T-Cell Receptor Mutants from a Yeast Surface-Display Library;" <i>Proc. Natl. Acad. Sci. USA</i> 96(10):5651-5656.
		Kieke, MC et al. (1997), "Isolation of Anti-T-Cell Receptor scFv Mutants by Yeast Surface Display;" <i>Protein Eng.</i> 10(11):1303-1310.
		Kipriyanov, S M et al. (1997), "Two Amino Acid Mutations in an Anti-human CD3 Single Chain Fv Antibody Fragment that Affect the Yield on Bacterial Secretion but not the Affinity;" <i>Protein Eng.</i> 10(4):445-453.
JE		Klis, FM (1994), "Review: Cell Wall Assembly in Yeast;" <i>Yeast</i> 10:851-869.
at		Knappik, A et al. (1995), "Engineered Turns of a Recombinant Antibody Improve its <i>in vivo</i> Folding;" <i>Protein Eng.</i> 8(1):81-89.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 19, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED  
JUN 03 2003  
TECH CENTER 1600/2800

		Kowalski, JM et al. (1998), "Secretion Efficiency in <i>Saccharomyces Cerevisiae</i> of Bovine Pancreatic Trypsin Inhibitor Mutants Lacking Disulfide Bonds is Correlated with Thermodynamic Stability," <i>Biochemistry</i> 37(5):1264-1273.
		Kowalski, JM et al. (July 1998), "Protein Folding Stability can Determine the Efficiency of Escape from Endoplasmic Reticulum Quality Control;" <i>J. Biol. Chem.</i> 273(31):19453-19458.
		Kurucz, I et al. (1993), "A Baterially Expressed Single-Chain Fv Construct From the 23B4 T-Cell Receptor;" <i>Proc. Natl. Acad. Sci. USA</i> 90:3830-3834.
		Letourneur, F et al. (1989), "Derivation of a T-Cell Hybridoma Variant Deprived of Functional T-Cell Receptor a and b Chain Transcripts Reveals a Nonfunctional a-mRNA of BW5147 Origin;" <i>Eur. J. Immunol.</i> 19(12):2269-2274.
		Lie, W-R. et al. (1990), "Peptide Ligand-Induced Conformation and Surface Expression of the Ld Class I MHC Molecule;" <i>Nature</i> 344:349-441.
		Lipke, P et al. (1992), "Sexual Agglutination in Budding Yeasts: Structure, Function, and Regulation of Adhesion Glycoproteins;" <i>Microbiological Reviews</i> pp. 80-194.
		Liu, C-P et al. (Dec.19, 2000), "Detection of glutamic acid decarboxylase-activated T cells with I-A <sup>g7</sup> tetramers;" <i>Proc. Natl. Acad. Sci. USA</i> 97(26):14596-14601.
		Lyons, D et al. (1996), "A TCR Binds to Antagonist Ligands with Lower Affinities and Faster Dissociation Rates Than to Agonists;" <i>Immunity</i> 5:53-61.
		Maile, R et al. (2001), "Antigen-Specific Modulation of an Immune Response by <i>In Vivo</i> Administration of Soluble MHC Class I Tetramers;" <i>J. Immunology</i> 167:3708-3716.
		Malchiodi, EL (1995), "Superantigen Binding to a T-Cell Recptor Chain of Known Three-Dimensional Structure;" <i>J. Exp. Med.</i> 182:1833-1845.
		Manning, T C et al. (Feb. 1998), "Alanine Scanning Mutagenesis of an T-Cell Receptor: Mapping the Energy of Antigen Recognition;" <i>Immunity</i> 8:413-425.
		Manning, et al. (1999), "Effects of Complementarity Determining Region Mutations on the Affinity of Alpha/Beta T-Cell Receptor: Measuring the Energy Associated with CD4/CD8 Repertoire Skewing;" <i>J. Exp. Med.</i> 189(3):461-470.
		Margulies, DH (1996), "An Affinity for Learning," <i>Nature</i> 381:558-559.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 1999

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 08 2003  
TECH CENTER 1600/230

KZ		Marks, JD et al. (1992), "Molecular Evolution of Proteins on Filamentous Phage;" <i>J. Biol. Chem.</i> <b>267</b> (23):16007-16010.
		Marks, JD et al. (1991), "By-passing Immunization. Human Antibodies from V-gene Libraries Displayed on Phage;" <i>J. Mol. Biol.</i> <b>222</b> :581-597.
		Martineau, P et al. (1998), "Expression of an Antibody Fragment at High Levels in the Bacterial Cytoplasm;" <i>J. Mol. Biol.</i> <b>280</b> (1):117-127.
		Marx, J (1995), "The T-Cell Receptor Begins to Reveal Its Many Facets;" <i>Science</i> <b>267</b> :459-460.
		Matsui, K et al. (1994), "Kinetics of T-Cell Receptor Binding to Peptide/I-Ek Complexes; Correlation of the Dissociation Rate with T-Cell Responsiveness;" <i>Proc. Natl. Acad. Sci. USA</i> <b>91</b> :12862-12866.
		Matsui, et al. (1991), "Low Affinity Interaction of Peptide-MHC Complexes with T-Cell Receptors;" <i>Science</i> <b>254</b> :1788-1791.
0		McCafferty, J et al. (1990), "Phage Antibodies: Filamentous Phage Displaying Antibody Variable Domains;" <i>Nature</i> <b>348</b> :552-554.
J		Meyer, AL et al. (Oct. 2000), "Direct enumeration of <i>Borrelia</i> -reactive CD4 T cells <i>ex vivo</i> by using MHC class II tetramers;" <i>Proc. Natl. Acad. Sci. USA</i> <b>97</b> (21):11433-11438.
J		Nieba, L et al. (1997), "Disrupting the Hydrophobic Patches at the Antibody Variable/Constant Domain Interface: Improved <i>in vivo</i> Folding and Physical Characterization of an Engineered scFv Fragment;" <i>Protein Eng.</i> <b>10</b> (4):435-444.
J		Novotny, J et al. (1991), "A Soluble, Single-Chain T-Cell Receptor Fragment Endowed with Antigen-Combining Properties;" <i>Proc. Natl. Acad. Sci. USA</i> <b>88</b> :8646-8650.
J		O'Herrin, SM et al. (1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T-Cell Receptors;" <i>J. Exp. Med.</i> <b>186</b> :1333-1345.
J		O'Herrin, SM et al. (Sept. 2001) "Antigen-Specific Blockade of T Cells <i>In Vivo</i> Using Dimeric MHC Peptide;" <i>J. Immunology</i> <b>167</b> :2555-2560.
J		Patten, PA et al. (1993), "Transfer of Putative Complementarity-Determining Region Loops of T-Cell Receptor V Domains Confers Toxin Reactivity but not Peptide/MHC Specificity;" <i>J. Immunol.</i> <b>150</b> :228-229.
J		Pullen, AM et al. (1991), "Analysis of the Interaction Site for the Self Superantigen Mls-1a on T-Cell Receptor V;" <i>J. Exp. Med.</i> <b>173</b> :1183-1192.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 18, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 03 2003  
TECH CENTER 1600/2500

		Rabinowitz, et al. (1996), "Kinetic Discrimination in T-Cell Activation;" <i>Proc. Natl. Acad. Sci. USA</i> 93:1401-1405.
		Radu, CG et al. (Nov. 2000), "Detection of autoreactive T cells in H-2 <sup>m</sup> mice using peptide-MHC multimers;" <i>Int. Immunol.</i> 12(11):1553-1560.
		Reich, et al. (1997), "Ligand-Specific Oligomerization of T-Cell Receptor Molecules;" <i>Nature</i> 387:617-620.
		Reiter, Y et al. (1995), "Construction of a Functional Disulfide-Stabilized TCRC Fv Indicates that Antibody and TCR Fv Frameworks are very Similar in Structure;" <i>Immunity</i> 2(3):281-287.
		Ridder, R et al. (1995), "Generation of Rabbit Monoclonal Antibody Fragments from a Combinatorial Phage Display Library and Their Production in the Yeast <i>Pichia pastoris</i> ;" <i>Bio/Technol.</i> 13:255-259.
		Romanos, M (1995), "Advances in the Use of <i>Pichia pastoris</i> for High-Level Gene Expression;" <i>Curr. Opinion in Biotechnol.</i> 6:527-533.
		Sant' Angelo, DB et al. (1996), "The Specificity and Orientation of a TCR to its Peptide-MHC Class II Ligands;" <i>Immunity</i> 4:367-376.
		Schlueter, CJ et al. (1996), "A Residue in the Center of Peptide QL9 Affects Binding to Both Ld and the T-Cell Receptor1;" <i>J. Immunol.</i> 157:4478-4485.
		Schlueter, et al. (1996), "Specificity and Binding Properties of a Single-Chain T-Cell Receptor;" <i>J. Mol. Biol.</i> 256:859-869.
		Schneck, J et al. (1989), "Inhibition of an Allospecific T-Cell Hybridoma by Soluble Class I Proteins and Peptides: Estimation of the Affinity of a T-Cell Receptor for MHC;" <i>Cell</i> 56:47-55.
		Schodin, BA et al. (1993), "Binding Affinity and Inhibitory Properties of a Single-Chain Anti-T Cell Receptor Antibody;" <i>J. Biol. Chem.</i> 268(34):25722-25727.
		Schodin, BA et al. (1996) "Binding Properties and Solubility of Single-Chain T-Cell Receptors Expressed in <i>E. Coli</i> ;" <i>Mol. Immun.</i> 33(9):819-829.
		Schreuder, et al. (1996), "Immobilizing Proteins on the Surface of Yeast Cells;" <i>TIBTECH</i> 14:115-120.
		Seibel, JL et al. (1997), "Influence of the NH <sub>2</sub> -Terminal Amino Acid of the T-Cell Receptor Chain on Major Histocompatibility Complex (MHC) Class II + Peptide Recognition;" <i>J. Exp. Med.</i> 185(11):1919-1927.
		Seth, A et al. (1994), "Binary and Ternary Complexes Between T-Cell Receptor, Class II MHC and Superantigen <i>in vitro</i> ;" <i>Nature</i> 369:324-327.



Form PTO-1449

ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 03 2003  
TECH CENTER 1600/2900

JF		Sheets, MD et al. (1998), "Efficient Construction of a Large Nonimmune Phage Antibody Library: The Production of High-Affinity Human Single-Chain Antibodies to Protein Antigens;" <i>Cell Biology</i> 95(11):6157-6162.
		Shusta, EV et al. (Apr. 1999), "Biosynthetic Polypeptide Libraries;" <i>Curr. Opin. Biotechnol.</i> 10:117-122.
		Shusta, EV et al. (Oct. 1999), "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency;" <i>J. Mol. Biol.</i> 292:949-956.
		Slanetz, AE et al. (1991), "Heterodimeric, Disulfide-linked a / b T-Cell Receptors in Solution;" <i>Eur. J. Immunol.</i> 21:179-183.
		Slansky, JE et al. (Oct. 2000), "Enhanced Antigen-Specific Antitumor Immunity with Altered Peptide Ligands that Stabilize the MHC-Peptide-TCR Complex;" <i>Immunity</i> 13:529-538.
		Soo Hoo, WF et al. (1992), "Characterization of a Single-Chain T-Cell Receptor Expressed in Escherichia Coli;" <i>Proc. Natl. Acad. Sci. USA</i> 89:4759-4763.
		Speir, JA et al. (1998), "Structural Basis of 2C TCR Allorecognition of H-2Ld Peptide Complexes;" <i>Immunity</i> 8:553-562.
		Sudbery, PE (1994), "The Non-Saccharomyces Yeasts;" <i>Yeast</i> 10:1707-1726.
		Sykulev, Y et al. (1994), "Kinetics and Affinity of Reactions between an Antigen-Specific T Cell Receptor and Peptide-MHC Complexes;" <i>Immunity</i> 1:15-22.
JL		Sykulev, Y et al. (1994), "High-Affinity Reactions Between Antigen-Specific T-Cell Receptors and Peptides Associated with Allogeneic and Syngeneic Major Histocompatibility Complex Class I Proteins;" <i>Proc. Natl. Acad. Sci. USA</i> 91:11487-11491.
		Sykulev, Y et al. (1995) "The Law of Mass Action Governs Antigen-Stimulated Cytolytic Activity of CD8+ Cytotoxic T Lymphocytes;" <i>Proc. Natl. Acad. Sci. USA</i> 92:11990-11992.
		Tjoa, BA et al. (1992) "Diversity of T-Cell Receptor-alpha Chain Transcripts from Hyperimmune Alloreactive T-Cells;" <i>J. Immunol (United States)</i> 149(1)253-259.
		Tjoa, BA et al., (1994), "Generation of Cytotoxic T-Lymphocytes to a Self-Peptide/Class I Complex: A Model for Peptide-Medicated Tumor Rejection;" <i>Cancer Res.</i> 54:204-208.
		Udaka, K. et al. (1993), "A Ubiquitous Protein is the Source of Naturally Occurring Peptides that are Recognized by a CD8+ T-Cell Clone;" <i>Proc. Natl. Acad. Sci. USA</i> 90:11272-11276.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2000

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

TECH CENTER 1600/2900

55	Ulrich, et al. (1995), "Expression Studies of Catalytic Antibodies;" <i>Proc. Natl. Acad. Sci. USA</i> 92:11907-11911.
	Van Antwerp, JJ et al. (2000), "Fine Affinity Discrimination by Yeast Surface Display and Flow Cytometry;" <i>Biotechnol. Prof.</i> 16:31-37.
	Van der Vaart, M (1965), "Identification and Characterization of Cell Wall Proteins of <i>Saccharomyces cerevisiae</i> ;" Thesis, ISBN 90-393-1498-5 pp.1-138.
	Valitutti, S et al. (1995), "Serial Triggering of Many T-Cell Receptors by a Few Peptide-MHC Complexes;" <i>Nature</i> 375:148-151.
	Ward, ES (1991), "Expression and Secretion of T-Cell Receptor V and V Domains Using <i>Escherichia Coli</i> as a Host;" <i>Scand. J. Immunol.</i> 34:215-220.
	Ward, ES (1992), "Secretion of T-Cell Receptor Fragments From Recombinant <i>Escherichia Coli</i> Cells;" <i>J. Mol. Biol.</i> 224:885-890.
	Weber, et al. (1992), "Specific Low-Affinity Recognition of Major Histocompatibility Complex Plus Peptide by Soluble T-Cell Receptor;" <i>Nature</i> 356:793-796.
	Wedemayer, GJ et al. (1997) "Structural Insights into the Evolution of an Antibody Combining Site;" <i>Science</i> 276:1665-1669.
	Weidanz, JA et al. (1998), "Display of Functional Single-Chain T-Cell Receptor Molecules on the Surface of Bacteriophage;" <i>J. Immunol. Meth.</i> 221:59-76.
55	Wells, J (1991), "Systematic Mutational Analyses of Protein-Protein Interfaces;" <i>Meth. Enzym.</i> 202:390-411.
	Willcox, BE et al. (March 1999), "TCR Binding to Peptide-MHC Stabilizes a Flexible Recognition Interface;" <i>Immunity</i> 10:357-365.
	Winter, G et al. (1994), "Making Antibodies By Phage Display Technology;" <i>Annu. Rev. Immunol.</i> 12:433-455.
	Wittrup, KD (1994), "Existence of Optimum Expression Level for Section of Foreign Proteins in Yeast;" <i>Ann. N.Y. Acad. Sci.</i> 745:321-330.
	Wittrup, KD (Nov. 1999), "Phage on Display;" <i>Trends in Biotech.</i> 17(11):423-424.
	Wittrup, KD (Oct. 2000), "The Single Cell as a Microplate Well;" <i>Nat. Biotechnol.</i> 18:1039-1040.
	Wolfe, MS et al. (1998), "A Substrate-Based Difluoro Ketone Selectively Inhibits Alzheimer's-Secretase Activity;" <i>J. Med. Chem.</i> 41:6-9.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED  
JUL 2 2003  
TECH CENTER 1800/2900

JR		Youde, SJ et al. (Jan. 2000), "Use of Fluorogenic Histocompatibility Leukocyte Antigen-A*0201/HPV 16 E7 Peptide Complexes to Isolate Rare Human Cytotoxic T-Lymphocyte-recognizing Endogenous Human Papillomavirus Antigens;" <i>Cancer Research</i> 60:365-371.
J		Yoon, ST (1994), "Both High and Low Avidity Antibodies to the T-Cell Receptor can have Agonist or Antagonist Activity;" <i>Immunity</i> 1:563-569.

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89